## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	8	("20020158214"   "20020160314"   "20020168593"   "5673103"   "5777744"   "6472108"). PN. OR ("6660458").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/09/10 07:57
L2	229721	((optical adj proximity adj (correction effect)) (optical \$1proximity adj (correction effect)) optical\$1proximity \$1correction optical \$1proximity\$1effect OPC OPE)	US-PGPUB; USPAT; USOCR	OR	OFF	2008/09/10 10:29
L3	87	2 same (polariz\$4 near3 (light illumination radiat\$4))	US-PGPUB; USPAT; USOCR	OR	OFF	2008/09/10 10:31
L4	420229	(\$6mask reticle)	US-PGPUB; USPAT; USOCR	OR	OFF	2008/09/10 10:33
L5	24	3 and 4	US-PGPUB; USPAT; USOCR	OR	OFF	2008/09/10 10:33
L6	6954	430/5.ccls.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/09/10 10:48
L7	1016	(4 same 2) and 6	US-PGPUB; USPAT; USOCR	OR	OFF	2008/09/10 10:48
L8	17	7 and (polariz\$4 near3 (light illumination radiat\$4))	US-PGPUB; USPAT; USOCR	OR	OFF	2008/09/10 10:49
L9	16	8 not 5	US-PGPUB; USPAT; USOCR	OR	OFF	2008/09/10 10:49
L10	1	("7147975").PN.	USPAT; USOCR	OR	OFF	2008/09/10 10:54
L11	33	7 and (4 same reces\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/09/10 11:04
L12	113	(2 same (serif hammer \$1head hammer adj head) same 4) and 6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/09/10 11:18
L13	2	12 and polariz\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/09/10 11:27
L14	225692	(semi\$1conductor semi adj conductor integrated adj circuit integrated\$1circuit) same (memory and circuit \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/09/10 12:47

L17	5284	(semi\$1conductor semi adj conductor integrated adj circuit integrated\$1circuit) same (memory) same (circuit \$3) same 4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/09/10 12:48
L18	221	17 and 6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/09/10 12:49
L19	6	18 and (polariz\$4 near3 (light illumination radiat\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/09/10 12:49
L20	178	(semi\$1conductor semi adj conductor integrated adj circuit integrated\$1circuit) same (memory adj cell) same (circuit\$3 adj (portion area pattern)) same 4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/09/10 12:51
L21	2	20 and polariz\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/09/10 12:51
L22	10	20 and 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/09/10 12:52
L23	268	((memory adj cell) with (circuit\$3 adj (portion area pattern)) with (peripheral edge)) same 4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/09/10 12:57
L24	17	23 and 6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/09/10 12:57
L25	45	((intensity leveling) near2 (bar line) same 4) and 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/09/10 13:53
L26	15	25 and 6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/09/10 13:53
L27	1	("5,242,770").PN.	USPAT; USOCR	OR	OFF	2008/09/10 13:57
L28	556	(polarize\$2 adj (light illumination)) same (amplitude) same (orthogonal perpendicular)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/09/10 16:47
L29	0	(exposure near2 (apparatus system)) same 28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/09/10 16:49

L30	33	(exposure near2 (apparatus system)) and 28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/09/10 16:49
L31	33	30 and 4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/09/10 16:49
S1	4	2002/0168593 "5673103". pn. 2004/0029024	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/09/09 14:12
S2	1	2002/0168593	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/09/09 14:14
S3	3	"2002"\$1"0168593"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/09/09 14:14
S4	2	"20040029024"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2008/09/09 14:15
S5	183	((TOSHIHIKO) near2 (TANAKA)).INV.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/09/09 14:31

9/10/2008 5:15:20 PM

C:\ Documents and Settings\ JJELSMA\ My Documents\ EAST\ Workspaces\ 10551553.wsp